





AESTARK PLUS 5 kg

SOUND IMPEDING AND DAMPING SELF-ADHESIVE PRODUCT TO INCREASE THE ACOUSTIC INSULATION OF PIPES AND PLASTERBOARD.

High density mat (1620 kg/m³) with a sound impeding and damping effect, either self-adhesive on one side or non, used to increase the airborne noise acoustic insulation of plasterboard panels and pipes, made up of polymers and other fillers viscous-elastic agglomerate. The improvement of the acoustic insulation is obtained as a result of either the mass increment and the dampening behaviour in respect to vibrations transmission. The working easiness and the self-adhesive side make the AESTARK PLUS application simple and fast in all use situations.

ACOUSTIC PERFORMANCES

| DESCRIPTION | SYMBOL | M.U. | VALUE | NORMS | NOTES |
|------------------------------------|-------------------|------|-------|--|-------|
| Soundproofing power of panel alone | (R _w) | dB | 27 | UNI EN ISO 10140-2 UNI EN ISO 717-1 | |
| | | | | | |

PHYSICAL-MECHANICAL PERFORMANCES

| M.U. | VALUE | NOTES |
|-------------------|-------------------|--|
| Kg/m ³ | 1620 | |
| | | |
| mm | 3,1 | |
| | | |
| N/50mm | 430/300 | UNI EN 12311-1 |
| | | |
| % | 30/30 | UNI EN 12311-1 |
| | | |
| N | 130/130 | UNI EN 12310-1 |
| | | |
| Class | B- s1, d0 | UNI EN 13501-1:2019 |
| | Mg/m³ mm N/50mm % | Kg/m³ 1620 mm 3,1 N/50mm 430/300 % 30/30 N 130/130 |

^{*}The reaction to fire class refers to the material applied on plasterboard sheet see certificate nr 1691.0DC0050/21 and 1692.0DC0050/21

CHEMICAL PERFORMANCES

| CHARACTERISTIC | PERFORMANCES | |
|-----------------------|---|--|
| Chemical interactions | Highly resistant to acids and alkaline detergents, rot proof, retains its characteristics unchanged over time | |
| | | |
| Electrostatic | Does not accumulate static charge and prevent interaction between materials | |









SPECIFICATIONS

Increase of acoustic insulation from airborne noises and vibrations of plasterboard panels and rubber pipes, obtained by applying a 1620 kg/m³ density membrane, 3,1 mm thickness. Self-adhesive on one side, made up of polymers and other fillers viscous-elastic agglomerate, such as AESTARK PLUS by VALLI ZABBAN.

DIMENSIONS AND PACKAGING

| SIZE | M.U. | VALUE |
|-----------------------------|----------------|---------------|
| Thickness | mm | 3,1 |
| | | |
| Panel height | m | 1x1.2 |
| | | |
| Panel length | m ² | 1.2 |
| | | |
| Weight per m ² | Kg/m² | 5 |
| | | |
| Number of panels per pallet | piece | 102 |
| | | |
| Pallet total surface | m ² | 85 |
| | | |
| Pallet dimension | cm | 100x120x50+10 |

Rev.3 - 06/25



